

Fuji Prescale Pressure Sensitive Film Resources

The following papers provide valuable resources on the use and characteristics of Fuji film, and other closely-related subjects, with an emphasis on biomechanics:

Afoke NYP, Byers PD and Hutton WC (1987). Contact pressures in the human hip joint. *Journal of Bone and Joint Surgery* 69B(4):536-541.

Ahmed AM (1992). The load-bearing role of the knee menisci. In *Knee meniscus: Basic and clinical foundations*, edited by V.C. Mow, S.P. Arnoczky and DW Jackson. Raven Press, New York, p. 59-73.

Anzel SH and Lee TQ (1990). Biomechanics of patellofemoral joint disorders: In vitro human cadaver study. *Rehabilitation R&D Progress Reports* 28(1):47-49.

Aritomi H, Morita M and Yonemoto K (1983). A simple method of measuring the footsole pressure of normal subjects using Prescale pressure-detecting sheets. *Journal of Biomechanics* 16(2):157-165.

Aritomi H, Yonemoto K and Morita M (1983). Measurement of the footsole pressure distribution of normal subjects by pressure sensitive film. *Journal of the Japanese Orthopaedic Association* 57:341-349.

Ateshian GA, Kwak SD, Soslowsky LJ and Mow VC (1994). A stereophotogrammetric method for determining in situ contact areas in diarthrodial joints, and a comparison with other methods. *Journal of Biomechanics* 27(1):111-124.

Augsburger S, Necking L, Horton J, Bach AW and Tencer AF (1992). A comparison of scapholunate dissociation. *Journal of Hand Surgery* 17A(2):360-369.

Bay BK, Hamel AJ, Olson SA and Sharkey NA (1997). Statically equivalent load and support conditions produce different hip joint contact pressures and periacetabular strains. *Journal of Biomechanics* 30:193-196.

Bourgeois R and Bel J (1993). A new cheap pressure foil. *Strain* 29(1):27-28.

Brown TD, Pope DF, Hale JA, Buckwater JA and Brand RA (1991). Effects of osteochondral defect size on cartilage contact stress. *Journal of Orthopaedic Research* 9(4):559-567.

Bylski-Austrow DI, Malumed J, Meade T and Grood ES (1993). Knee joint contact pressure decreases after chronic meniscectomy relative to the acutely meniscectomized joint: A mechanical study in the goat. *Journal of Orthopaedic Research* 11(6):796-804.

Caldwell NJ, Hale JE, Rudert JM and Brown TD (1993). An algorithm for approximate crinkle artifact compensation in pressure-sensitive film recordings. *Journal of Biomechanics* 26(8):1001-1009.

Collier JP, Mayor MB, McNamara JL Surprenant VA and Jensen RE (1991). Analysis of the failure of 122 polyethylene inserts from uncemented tibial knee components. *Clinical Orthopaedics* 273:232-242.

Collier JP, McNamara JL, Surprenant VA, Jensen RE and Surprenant HP (1991). All-polyethylene patellar components are not the answer. *Clinical Orthopaedics* 273:198-203.

Fukubayashi T and Kurosawa H (1980). The contact area and pressure distribution pattern of the knee: A study of normal and osteoarthrotic knees. *Acta Orthopaedica Scandinavica* 51:871-879.

Hale JE and Brown TD (1992). Contact stress gradient detection limits of Pressensor film. *Journal of Biomechanical Engineering* 114(3):352-357.

Harris ML, Morberg P, Bruce WJM and Walsh WR (1999). An improved method for measuring tibiofemoral contact areas in total knee arthroplasty: a comparison of K-scan sensor and Fuji film. *Journal of Biomechanics* 32:951-958.

Haut RC (1989). Contact pressures in the patellofemoral joint during impact loading on the human flexed knee. *Journal of Orthopaedic Research* 7(2):272-280.

Haut RC, Ile TM and DeCamp CE (1995). Mechanical responses of the rabbit patello-femoral joint to blunt impact. *Journal of Biomechanical Engineering* 117:402-408.

Hehne HJ, Ficker E, Jantz W, Mahr D and Schopf HJ (1981). A new method for measurements of pressure distributions and contact areas in joints. *Morphol. Med.* 1:95-106.

Hehne HJ, Haberland H, Hultsch W and Jantz W (1982). Measurements of two dimensional pressure distributions and contact areas of a joint using a pressure sensitive foil. In *Biomechanics: Principles and applications*, edited by R. Huiskes, D.H. Van Campen and J.R. De Wijn. Martinus Nijhoff, The Hague, p. 197-203.

Hsu H, Garg A, Walker PS, Spector M and Ewald FC (1989). Effects of knee component alignment on tibial load distribution with clinical correlation. *Clinical Orthopaedics* 248:135-144.

Huberti HH and Hayes WC (1984). Patellofemoral contact pressures; the influence of Q-angle and tendofemoral contact. *Journal of Bone and Joint Surgery* 66A(5):715-723.

Inaba M and Arai M (1989). A method for measuring contact pressures instantaneously in articular joints. *Journal of Biomechanics* 22(11):1293-1296.

Jin ZM, Stewart T, Auger DD and Dowson D. Contact pressure prediction in total knee joint replacements. Part 2: Application to the design of total knee joint replacement. *Engineering in Medicine* 209:9-15.

Lee TQ, Anzel SH, Bennett KA, Pang D and Kim WC (1994). The influence of fixed rotations deformities of the femur on the patellofemoral contact pressures in human cadaver knees. *Clinical Orthopaedics* 302:69-74.

Marder RA, Swanson TV, Sharkey NA and Duwelius PJ (1993). Effects of partial patellectomy and reattachment of the patellar tendon on patellofemoral contact areas and pressures. *Journal of Bone and Joint Surgery* 75A(1):35-45.

McNamara JL, Collier JP, Mayor MB and Jensen RE (1994). Comparison of contact pressure in tibial and patellar total knee components before and after service in vivo. *Clinical Orthopaedics* 302:69-74.

Minns RJ (1988). Wear and contact stress studies of the Minns meniscal knee prosthesis. *Engineering in Medicine* 17(3):135-138.

Pan HQ, Kish V, Boyd RD, Burr DB and Radin EL (1993). The Maquet procedure: Effect of tibial shingle length on patellofemoral pressures. *Journal of Orthopaedic Research* 11(2):199-204.

Ronsky JL, Herzog W, Brown TD, Pederson DR, Grood ES and Butler DL (1995). In vivo quantification of the cat patellofemoral joint contact stresses and areas. *Journal of Biomechanics* 28:977-983.

Sangeorzan BJ, Wagner UA, Harrington RM and Tencer AF (1992). Contact characteristics of the subtalar joint: The effect of talar neck misalignment. *Journal of Orthopaedic Research* 10(4):544-551.

Sangeorzan BJ, Tencer AF, Wagner U and Harrington RM (1990). Contact pressure in the hindfoot. *Journal of Rehabilitation Research and Development* 28:53-54.

Singerman RJ, Pedersen DR and Brown TD (1987). Quantitation of pressure-sensitive film using digital image scanning. *Experimental Mechanics* 27(1):99-105.

Skyhar MJ, Warren RF, Ortiz GJ, Schwartz E and Otis JC (1993). The effects of sectioning of the posterior cruciate ligament and the posterolateral complex on the articular contact pressures within the knee. *Journal of Bone and Joint Surgery* 75A(5):694-699.

Stewart T, Shaw D, Auger DD, Stone M and Fisher J (1995). Experimental and theoretical study of the contact mechanics of five total knee joint replacements. *Engineering in Medicine* 209:225-231.

- Stormont TJ, An KN, Morrey BF and Chao EY (1985).** Elbow joint contact study: Comparison of techniques. *Journal of Biomechanics* 18(5):329-336.
- Szivek JA, Anderson PL and Benjamin JB (1996).** Average and peak contact stress distribution evaluation of total knee arthroplasties. *Journal of Arthroplasty* 11:952-963.
- Szivek JA (1994).** Tibio-femoral contact stress and stress distribution evaluation of total knee replacements. *Rehabilitation R&D Progress Reports* 30-31:257-258.
- Takeuchi T, Lathi VK, Khan AM and Hayes WC (1995).** Patellofemoral contact pressures exceed the compressive yield strength of UHMWPE in total knee arthroplasties. *Journal of Arthroplasty* 10:363-368.
- Tencer AF, Viegas SF, Cantrell J, Chang M, Clegg P, Hicks C, O'Meara C and Williamson JB (1988).** Pressure distribution in the wrist joint. *Journal of Orthopaedic Research* 6(4) 509-517.
- von Eisenhart-Rothe R, Eckstein F, Muller-Gerbl M, Landgraf J, Rock C and Putz R (1997).** Direct comparison of contact areas, contact stress and subchondral mineralization in human hip joint specimens. *Anatomy and Embryology* 195:279-288.
- von Eisenhart-Rothe R, Adam C, Steinlechner M, Muller-Gerbl M and Eckstein F (1999).** Quantitative determination of joint incongruity and pressure distribution during simulated gait and cartilage thickness in the human hip joint. *Journal of Orthopaedic Research* 17:532-539.
- Wagner UA, Sangeorzan BJ, Harrington RM and Tencer AF (1992).** Contact characteristics of the subtalar joint: Load distribution between the anterior and posterior facets. *Journal of Orthopaedic Research* 10(4):535-543.
- Werner FW, Murphy DJ and Palmer AK (1984).** Pressures in the distal radioulnar joint: Effect of surgical procedures used for Kienbock's disease. *Journal of Orthopaedic Research* 7(3):445-450.
- Wang C-L, Cheng C-K, Chen C-W, Lu C-M, Hang Y-S and Liu T-K (1995).** Contact areas and pressure distributions in the subtalar joint. *Journal of Biomechanics* 28:269-279.
- Witte MW, Hovanesian JD and Hovanesian JA (1995).** A tomographic technique for determining contact stress. *Experimental Techniques* 19:9-12.